

Journalbeiträge

1. Arnold B, Pflingsten M (2008) [Rehabilitation following chronic nonspecific low back pain]. SCHMERZ, 22(1): 87-8; author reply 88-9.
2. Balcarek P, Sawallich T, Walde TA, Ferlemann KG, Wachowski M, Stürmer KM, Frosch KH (2008) [Influence of cyclops syndrome after anterior cruciate ligament reconstruction on the functional outcome.]. SPORTVERLETZ SPORTSC, 22(4): 220-4.
3. Becker A, Leonhardt C, Keller S, Wegscheider K, Baum E, Donner-Banzhoff N, Pflingsten M, Hildebrandt J, Basler HD, Kochen MM, Chenot CF (2008) Evaluation of two guideline implementation strategies, effects on patient outcomes - a cluster randomized controlled trial. SPINE, 33: 473-480.
4. Becker A, Leonhardt C, Kochen MM, Keller S, Wegscheider K, Baum E, Donner-Banzhoff N, Pflingsten M, Hildebrandt J, Basler HD, Chenot JF (2008) Effects of two guideline implementation strategies on patient outcomes in primary care: a cluster randomized controlled trial. SPINE, 33(5): 473-80.
5. Brunkhorst FM, Engel C, Bloos F, Meier-Hellmann A, Ragaller M, Weiler N, Moerer O, Gruending M, Oppert M, Grond S, Olthoff D, Jaschinski U, John S, Rossaint R, Welte T, Schaefer M, Kern P, Kuhnt E, Kiehntopf M, Hartog C, Natanson C, Loeffler M, Reinhart K (2008) Intensive insulin therapy and pentastarch resuscitation in severe sepsis. NEW ENGL J MED, 358(2): 125-39.
6. Brunkhorst FM, Engel C, Ragaller M, Welte T, Rossaint R, Gerlach H, Mayer K, John S, Stuber F, Weiler N, Oppert M, Moerer O, Bogatsch H, Reinhart K, Loeffler M, Hartog C (2008) Practice and perception--a nationwide survey of therapy habits in sepsis. CRIT CARE MED, 36(10): 2719-25.
7. Chenot JF, Becker A, Leonhardt C, Keller S, Donner-Banzhoff N, Hildebrandt J, Basler HD, Baum E, Kochen MM, Pflingsten M (2008) Sex differences in presentation, course, and management of low back pain in primary care. CLIN J PAIN, 24(7): 578-84.
8. Chenot JF, Leonhardt C, Keller S, Scherer M, Donner-Banzhoff N, Pflingsten M, Basler HD, Baum E, Kochen MM, Becker A (2008) The impact of specialist care for low back pain on health service utilization in primary care patients: a prospective cohort study. EUR J PAIN, 12(3): 275-83.
9. Chenot JF, Leonhardt C, Keller S, Scherer M, Donner-Banzhoff N, Baum E, Pflingsten M, Basler HD, Kochen MM, Becker A (2008) The impact of specialist care on health service utilization in primary care patients with low back pain: a prospective cohort study. EUR J PAIN, 12: 275-283.
10. Chenot JF, Scherer M, Becker A, Donner-Banzhoff N, Baum E, Leonhardt C, Keller S, Pflingsten M, Hildebrandt J, Basler HD, Kochen MM (2008) Acceptance and perceived barriers of implementing a guideline for managing low back in general practice. Implement Sci, 3: 7.
11. Cressoni M, Caironi P, Polli F, Carlesso E, Chiumello D, Cadringer P, Quintel M, Ranieri VM, Bugedo G, Gattinoni L (2008) Anatomical and functional intrapulmonary shunt in acute respiratory distress syndrome. CRIT CARE MED, 36(3): 669-75.
12. Crozier TA, Karimadadian D, Happe S (2008) Restless legs syndrome and spinal anesthesia. NEW ENGL J MED, 359(21): 2294-6.
13. Dieckmann P, Rall M, Eich C, Schnabel K, Jünger J, Nikendei C (2008) [Role playing as an essential element of simulation procedures in medicine]. Z Evid Fortbild Qual Gesundheitswes, 102(10): 642-7.
14. Haas T, Innerhofer P, Klingler A, Wagner-Berger H, Velik-Salchner C, Streif W, Fries D (2008) Re-transfusion of salvaged washed red cells improves clot formation in pigs as measured by rotational thrombelastometry (ROTEM). Eur J Anaesthesiol, 25(6): 473-8.
15. Hahn G (2008) Notfall 3. Notfall & Rettungsmedizin, (2): 13-18.
16. Hahn G (2008) Notfall I. Notfall & Rettungsmedizin, 1: 45-56.
17. Hahn G (2008) Notfall 2. Notfall & Rettungsmedizin, 3(2): 13-15.
18. Hahn G, Dittmar J, Just A, Hellige G (2008) Improvements in the image quality of ventilatory tomograms by electrical impedance tomography. PHYSIOL MEAS, 29(6): S51-61.
19. Hahn G, Just A, Dittmar J, Hellige G (2008) Systematic errors of EIT systems determined by easily-scalable resistive phantoms. PHYSIOL MEAS, 29(6): S163-72.
20. Hanekop GG, Ensink FBM (2008) [Risk minimization in pain therapy: important target but how can it be reached?]. SCHMERZ, 22(5): 519-22.
21. Hinz J, Hahn G, Quintel M (2008) [Electrical impedance tomography : Ready for routine clinical use for mechanically ventilated patients?]. ANAESTHESIST, 57(1): 61-9.
22. Kreimeier U, Dirks B, Arntz R, Bahr J, Goldschmidt P, Roessler M, Sasse M, Toursarkissian M (2008) [Chest compression without ventilation during basic life support? : Confirmation of the validity of the European Resuscitation Council (ERC) guidelines 2005.]. ANAESTHESIST, -: -.
23. Kreimeier U, Dirks B, Arntz R, Bahr J, Goldschmidt R, Roessler M, Sasse M, Toursarkissian M (2008) Thoraxkompression ohne Beatmung bei der Laienreanimation? Bestätigung der Gültigkeit der "European Resuscitation Council (ERC) Guidelines 2005". ANAESTHESIST, 57(8): 812-816.
24. Leonhardt C, Pflingsten M (2008) [Motivation encouragement in chronic pain patients]. SCHMERZ, 22(5): 610-3.
25. Leonhardt C, Keller S, Chenot JF, Luckmann J, Basler HD, Wegscheider K, Baum E, Donner-Banzhoff N, Pflingsten M, Hildebrandt J, Kochen MM, Becker A (2008) TTM-based motivational counselling does not increase physical activity of low back pain patients in a primary care setting--A cluster-randomized controlled trial. PATIENT EDUC COUNS, 70(1): 50-60.
26. Leonhardt C, Keller S, Chenot JF, Luckmann J, Basler HD, Wegscheider K, Baum E, Donner-Banzhoff N, Pflingsten M, Hildebrandt J, Kochen MM, Becker A (2008) TTM-Based motivational counselling does not increase physical activity of low back pain patients in a primary care setting - a cluster-randomized controlled trial. PATIENT EDUC COUNS, 70: 50-60.
27. Moerer O, Barwing J, Quintel M (2008) [Neurally adjusted ventilatory assist (NAVA). A new mode of assisted mechanical ventilation]. Anaesthesist (Internet-Ausgabe), 57(10): 998-1005.
28. Moerer O, Beck J, Brander L, Costa R, Quintel M, Slutsky AS, Brunet F, Sinderby C (2008) Subject-ventilator synchrony during neural versus pneumatically triggered non-invasive helmet ventilation. INTENS CARE MED, -: -.
29. Nickel EA, Timmermann A, Roessler M, Cremer S, Russo SG (2008) Out-of-hospital airway management with the LMA CTrach--a prospective evaluation. RESUSCITATION, 79(2): 212-8.
30. Pavlakovic G, Klinke I, Pavlakovic H, Züchner K, Zapf A, Bachmann CG, Graf BM, Crozier TA (2008) Effect of thermode application pressure on thermal threshold detection. MUSCLE NERVE, 38(5): 1498-505.
31. Perl T, Flöther L, Weyland W, Quintel M, Bräuer A (2008) Comparison of forced-air warming and resistive heating. Minerva Anesthesiol, 74(12): 687-90.
32. Phelps P, Cakmakcaya OS, Apfel CC, Radke OC (2008) A simple clinical maneuver to reduce laparoscopy-induced shoulder pain: a randomized controlled trial. OBSTET GYNECOL, 111(5): 1155-60.
33. Popov AF, Dorge H, Hinz J, Schmitto JD, Stojanovic T, Seipelt R, Didielis V, Schoendube FA (2008) Accelerated intimal hyperplasia in aortocoronary internal mammary vein grafts in minipigs. J CARDIOTHORAC SURG, 3: 20.

Abteilung " Anästhesiologie "

34. Popov AF, Hinz J, Liakopoulos OJ, Schmitto JD, Seipelt R, Quintel M, Schoendube FA (2008) Influence of angiotensin-I-converting-enzyme insertion/deletion gene polymorphism on perioperative hemodynamics after coronary bypass graft surgery. *J CARDIOVASC SURG*, 49(2): 255-60.
35. Popov AF, Schulz EG, Hinz J, Schmitto JD, Seipelt R, Koziolok MJ, Rosenberger A, Schoendube FA, Müller GA (2008) Impact of endothelin-1 Lys198Asn polymorphism on coronary artery disease and endorgan damage in hypertensives. *CORONARY ARTERY DIS*, 19(7): 429-34.
36. Raupach T, Bahr F, Herrmann P, Luethje L, Heusser K, Hasenfuß G, Bernardi L, Andreas S (2008) Slow breathing reduces sympathoexcitation in chronic obstructive pulmonary disease. *EUR RESPIR J*, 32(2): 387-92.
37. Reinhart K, Brunkhorst FM, Engel C, Bloos F, Meier-Hellmann A, Ragaller M, Weiler N, Moerer O, Gruendling M, Opper M, Grond S, Olthoff D, Jaschinski U, John S, Rossaint R, Welte T, Schaefer M, Kern P, Kuhnt E, Kiehntopf M, Deufel T, Hartog C, Gerlach H, Stüber F, Volk HD, Quintel M, Loeffler M (2008) [Study protocol of the VISEP study. Response of the SepNet study group]. *ANAESTHESIST*, 57(7): 723-8.
38. Roessler M (2008) [Non-invasive ventilation in prehospital emergency medicine]. *ANASTH INTENSIV NOTF*, 43(4): 264-6.
39. Roessler M (2008) Umsetzung der Reanimationsleitlinien 2005 in der studentischen Lehre. *Notfall & Rettungsmedizin*, 11(2): 105-112.
40. Roessler M (2008) Alternative Beatmungsformen. *J Anästh Intensivbeh*, 15: 224-227.
41. Roessler M, Dirks B, Eich C, Russo SG, Graf BM, Timmermann A (2008) Leitlinien zur Reanimation 2005 - Was haben sie bewirkt? Was gibt es Neues? *Notfall & Rettungsmedizin*, 11: 84-90.
42. Roessler M, Lott C, Timmer A, Russo SG, Graf BM, Eich C (2008) Umsetzung der Reanimationsrichtlinien 2005 in der studentischen Lehre. *Notfall & Rettungsmedizin*, 11: 105-112.
43. Roessler M, Stahl P, Conrad G, Schweigkofler U, Peter H, Bäuml H, Braun J, Quintel M (2008) [Introduction Course HEMS-Physician - from idea to course concept]. *ANASTH INTENSIV NOTF*, 43(5): 404-7.
44. Russo SG, Eich C, Roessler M, Graf BM, Quintel M, Timmermann A (2008) [Medical emergency teams : Current situation and perspectives of preventive in-hospital intensive care medicine.]. *ANAESTHESIST*, 57(1): 70-80.
45. Sabatowski R, Berghaus G, Lorenz J, Bingel U, Brunnauer A, Strumpf M, Albrecht M, Radbruch L (2008) [Current recommendations on the evaluation of the impact of opioids on driving ability]. *DEUT MED WOCHENSCHR*, 133(24): S47-50.
46. Saner FH, Olde Damink SWM, Pavlakovic G, van den Broek MAJ, Rath PM, Sotiropoulos GC, Radtke A, Canbay A, Paul A, Nadalin S, Malagó M, Broelsch CE (2008) Pulmonary and blood stream infections in adult living donor and cadaveric liver transplant patients. *TRANSPLANTATION*, 85(11): 1564-8.
47. Saner FH, Olde Damink SWM, Pavlakovi G, van den Broek MAJ, Sotiropoulos GC, Radtke A, Nadalin S, Malagó M, Paul A (2008) Positive end-expiratory pressure induces liver congestion in living donor liver transplant patients: myth or fact. *TRANSPLANTATION*, 85(12): 1863-6.
48. Schmitto JD, Hein S, Bräuer A, Popov AF, Quintel M, Schöndube FA (2008) Perioperative myocardial infarction after cesarean section in a young woman with hypertrophic obstructive cardiomyopathy. *ACTA ANAESTH SCAND*, 52(4): 578-9.
49. Schönhofer B, Kuhlen R, Neumann P, Westhoff M, Berndt C, Sitter H (2008) [Non-invasive ventilation as treatment for acute respiratory insufficiency. Essentials from the new S3 guidelines]. *Anaesthesist (Internet-Ausgabe)*, 57(11): 1091-102.
50. Sinner B, Graf BM (2008) Ketamine. *Handb Exp Pharmacol*, (182): 313-33.
51. Strumpf M, Willweber-Strumpf A (2008) [Influence of opioids on the psychomotor ability of patients in chronic pain]. *Deut Med Wochenschr (Internet-Ausgabe)*, 133 Suppl 2: S36-7.
52. Stuth EA, Stucke AG, Brandes IF, Zuperku EJ (2008) Anesthetic effects on synaptic transmission and gain control in respiratory control. *RESP PHYSIOL NEUROBI*, 164(1-2): 151-9.
53. Timmermann A, Cremer S, Heuer J, Braun U, Graf BM, Russo SG (2008) [Laryngeal mask LMA Supreme. Application by medical personnel inexperienced in airway management]. *Anaesthesist (Internet-Ausgabe)*, 57(10): 970-5.
54. Timmermann A, Russo SG, Hollmann MW (2008) Paramedic versus emergency physician emergency medical service: role of the anaesthesiologist and the European versus the Anglo-American concept. *Curr Opin Anaesthes*, 21(2): 222-7.
55. Waeschle RM, Moerer O, Hilgers R, Herrmann P, Neumann P, Quintel M (2008) The impact of the severity of sepsis on the risk of hypoglycaemia and glycaemic variability. *CRIT CARE*, 12(5): R129.
56. Wiese CH, Graf BM, Hanekop GG (2008) [Emergency medical care of terminally ill patients]. *DEUT MED WOCHENSCHR*, 133(41): 2078-83.
57. Wiese CHR, Bartels U, Duttge G, Graf BM, Hanekop GG (2008) [Palliative care patients in an advanced state of disease. Cardiopulmonary resuscitation and determination of death]. *Anaesthesist (Internet-Ausgabe)*, 57(9): 873-81.
58. Wiese CH, Bahr J, Bergmann A, Bergmann I, Bartels U, Graf BM (2008) [Reduction in no flow time using a laryngeal tube : Comparison to bag-mask ventilation.]. *ANAESTHESIST*, - : -.
59. Wiese CH, Bartels U, Bergmann A, Bergmann I, Bahr J, Graf BM (2008) Using a laryngeal tube during cardiac arrest reduces "no flow time" in a manikin study: a comparison between laryngeal tube and endotracheal tube. *WIEN KLIN WOCHENSCHR*, 120(7-8): 217-223.
60. Wiese CH, Bartels U, Geyer A, Duttge G, Graf BM, Hanekop GG (2008) [The Göttingen palliative emergency card: improvement of emergency medical care for ambulatory palliative care patients. The "yellow card for rescue services"]. *DEUT MED WOCHENSCHR*, 133(18): 972-6.
61. Wiese CH, Bartels U, Schultens A, Steffen T, Torney A, Bahr J, Graf BM (2008) Influence of airway management strategy on "no-flow-time" during an "advanced life support course" for intensive care nurses - a single rescuer resuscitation manikin study. *BMC Emerg Med*, 8: 4.
62. Wiese CH, Roessler M, Bartels U, Quintel M, Graf BM (2008) [Foudroyant meningococcal sepsis in emergency medicine : Medical treatment and post-exposure prophylaxis.]. *ANAESTHESIST*, 57(4): 369-373.
63. Wiese CHR, Bartels U, Ruppert D, Marung H, Graf BM, Hanekop GG (2008) [Treatment of palliative emergencies by paramedics.]. *WIEN KLIN WOCHENSCHR*, 120(17-18): 539-46.
64. Wiese CHR, Duttge G, Bartels U, Klie S, Graf BM, Hanekop GG (2008) [Emergency care management of patients with cancer at the final stage of disease--seven cases]. *ANASTH INTENSIV NOTF*, 43(7-8): 556-60.
65. Wiese CHR, Strumpf M, Graf BM (2008) [Analgetics, co-analgetics and opioid-analgetics in the elderly]. *Anasth Intensiv Notf (Internet-Ausgabe)*, 43(9): 616-22; quiz 623.
66. Wiese CH, Vossen-Wellmann A, Morgenthal HC, Popov AF, Graf BM, Hanekop GG (2008) Emergency calls and need for emergency care in patients looked after by a palliative care team: Retrospective interview study with bereaved relatives. *BMC Palliat Care*, 7: 11.
67. Wiese CH, Wilke H, Bahr J, Graf BM (2008) Practical examination of bystanders performing Basic Life Support in Germany: a prospective manikin study. *BMC Emerg Med*, 8: 14.
68. Wuttke W, Jarry H, Becker T, Schultens A, Christoffel V, Gorkow C, Seidlová-Wuttke D (2008) Phytoestrogens: endocrine disrupters or replacement for hormone replacement therapy? *MATURITAS*, 61(1-2): 159-70.

Abteilung " Anästhesiologie "

69. Zausig YA, Graf BM, Gust R (2008) Occurrence of a pneumothorax secondary to malpositioned nasogastric tube: a case report. *Minerva Anesthesiol*, 74(12): 735-8.
70. Zink W, Kaess M, Hofer S, Plachky J, Zausig YA, Sinner B, Weigand MA, Fink RH, Graf BM (2008) Alterations in intracellular Ca²⁺-homeostasis of skeletal muscle fibers during sepsis. *CRIT CARE MED*, 36(5): 1559-63.
71. Zink W, Graf BM (2008) The toxicity of local anesthetics: the place of ropivacaine and levobupivacaine. *Curr Opin Anaesthesiol*, 21(5): 645-50.
72. Zuperku EJ, Brandes IF, Stucke AG, Sanchez A, Hopp FA, Stuth EA (2008) Major components of endogenous neurotransmission underlying the discharge activity of hypoglossal motoneurons in vivo. *Adv Exp Med Biol*, 605: 279-84.

Buchbeiträge

1. Pflingsten M, Hrabal V, Traue HC (2008) Grundlagen psychologischer Behandlungsverfahren. In: Wippert PM, Beckmann J (Hg.) *Stress- und Schmerzursachen verstehen*. Thieme Verlag, Stuttgart, 223-231.
2. Roessler M (2008) Polytrauma - Prähospital und Schockraum Versorgung. In: Deutsche Akademie für Ärztliche Fortbildung (DAAF) (Hg.) *Refresher Course für Anästhesisten Nr. 34*. DIOMed Verlags GmbH, München, 1-8.
3. Strumpf M, Willweber-Strumpf A, Zenz M (2008) Tumorschmerz. In: Koch M, Vogel HR (Hg.) *Weißbuch Schmerz - Eine Bestandsaufnahme der Versorgungssituation von Patienten mit chronischem Schmerz in Deutschland*. Thieme Verlag, Stuttgart, 63-77.

Medizinische Dissertationen

1. Hylak A, Dr. med., Untersuchung der pathophysiologischen Scores SAPS (Simplified Acute Physiology Score) und SOFA (Sequential Organ Failure Assessment) sowie des Pflegescores TISS (Therapeutic Intervention Scoring System) als Grundlage zur Vergütung der Kosten intensivmediz. Dissertation Universität Göttingen 2008.
2. Kirchner J, Dr. med., Einsatz des Larynxtrubus LT® zur initialen Beatmung während präklinischer Reanimation. Dissertation Universität Göttingen 2008.
3. Lange M, Dr. med., Untersuchung zur Lebensqualität von sterbenden Tumorpatienten und pflegenden Angehörigen - Eine Studie zum Sterben im Krankenhaus. Dissertation Universität Göttingen 2008.
4. Meier S, Dr. med., Studie zur Lebensqualitätserfassung von präfinalen Tumorpatienten und deren pflegenden Angehörigen. Dissertation Universität Göttingen 2008.
5. Puls A, Dr. med., Effekte eines singulären pulmonalen Rekrutierungsmanövers auf die Konzentrationen inflammatorischer Zytokine im Serum. Dissertation Universität Göttingen 2008.
6. Reinhardt L, Dr. med., Strukturelle Überlegungen zur Implementierung öffentlich zugänglicher automatisierter externer Defibrillatoren im Rettungsdienstbereich der Stadt Göttingen. Dissertation Universität Göttingen 2008.
7. Rosmus M, Dr. med., Effektivität und Kosten von zwei Temperaturmanagementstrategien - Konservativ versus CoolGard®. Dissertation Universität Göttingen 2008.